

1 , 72, 49010, ; e-mail: beitsun98@gmail.com  
2 , 5, 49000, ; e-mail: tsv.transmag@gmail.com

1. . . . . , 2021. 137 .
2. . . . . « », 2003. 214 .
3. . . . . « », 2008. 332 .
4. . . . . 193 –  
, 2019. 100 .
5. *Al-Ruzouq R., Dabous S. A., Junaid M. T., Hosny F.* Nondestructive deformation measurements and crack assessment of concrete structure using close-range photogrammetry. *Results in Engineering*. 2023. No. 18. Pp. 1–17. <https://doi.org/10.1016/j.rineng.2023.101058>
6. *Alemdar Z. F., Browning J., Olafsen J.* Photogrammetric measurements of RC bridge column deformations. *Engineering Structures*. 2011. No. 33(8). Pp. 2407–2415. <https://doi.org/10.1016/j.engstruct.2011.04.015>
7. *Balanji H. M., Turgut A. E., Tunc L. T.* A novel vision-based calibration framework for industrial robotic manipulators. *Robotics and Computer-Integrated Manufacturing*. 2022. No. 73. p. 1–15. <https://doi.org/10.1016/j.rcim.2021.102248>
8. *Carmo R. N. F., Valenca J., Bencardino F., Cristofaro S., Chiera D.* Assessment of plastic rotation and applied load in reinforced concrete, steel and timber beams using image-based analysis. *Engineering Structures*. 2019. No. 198. p. 1–13. <https://doi.org/10.1016/j.engstruct.2019.109519>
9. *Chamberlain M. K., Kiefer S. H., LaPointe M., LaCorte P.* On-orbit flight testing of the Roll-Out Solar Array. *Acta Astronautica*. 2021. No. 179. p. 407–414. <https://doi.org/10.1016/j.actaastro.2020.10.024>
10. *Dabous S. A., Al-Ruzouq R., Llort D.* Three-dimensional modeling and defect quantification of existing concrete bridges based on photogrammetry and computer aided design. *Ain Shams Engineering Journal*. 2023. No. 14(12). Pp. 1–13. <https://doi.org/10.1016/j.asej.2023.102231>
11. *Dong G., Zhu Z. H.* Autonomous robotic capture of non-cooperative target by adaptive extended Kalman filter based visual servo. *Acta Astronautica*. 2016. No. 122. p. 209–218. <https://doi.org/10.1016/j.actaastro.2016.02.003>
12. *Dong G., Zhu Z. H.* Position-based visual servo control of autonomous robotic manipulators. *Acta Astronautica*. 2015. No. 115. p. 291–302. <https://doi.org/10.1016/j.actaastro.2015.05.036>

13. Dong G., Zhu Z. H. Vision-based Pose and Motion Estimation of Non-cooperative Target for Space Robotic Manipulators. AIAA SPACE 2014 Conference and Exposition. (San Diego, CA, 2014). San Diego, 2014. Pp. 1–9. <https://doi.org/10.2514/6.2014-4263>
14. Dong M. L., Deng W. Y., Sun Y. N., Wang Y.Q. Photogrammetric Measurement of Deformation of Large Deployable Mesh Microwave Antenna. Key Engineering Materials. 2008. No. 381. p. 309–312. <https://doi.org/10.4028/www.scientific.net/KEM.381-382.309>
15. Goda I., L'Hostis G., Guerlain P. In-situ non-contact 3D optical deformation measurement of large capacity composite tank based on close-range photogrammetry. Optics and Lasers in Engineering. 2019. No. 119. p. 37–55. <https://doi.org/10.1016/j.optlaseng.2019.02.006>
16. Guan X., Xu Y., Xing C. A Method for Rapid Measurement of the Deformation and Spatial Attitude of Large Radar Antennas Inside Radomes. IEEE Access. 2016. No. 4. Pp. 1–10.
17. Guo X., Yuan Y., Suo T., Su X., Liu Y., Ge Z. A novel temperature-strain synchronous measurement method. Optics and Lasers in Engineering. 2021. No. 147. p. 1–7. <https://doi.org/10.1016/j.optlaseng.2021.106723>
18. Gwashavanhu B., Oberholster A. J., Heyns P. S. Rotating blade vibration analysis using photogrammetry and tracking laser Doppler vibrometry. Mechanical Systems and Signal Processing. 2016. No. 76. p. 174–186. <https://doi.org/10.1016/j.ymssp.2016.02.019>
19. Iwasa T., Ota K., Harada T., Muramatsu R. High-resolution surface shape measurement of parabola antenna reflector by using grating projection method with virtual targets. Acta Astronautica. 2018. No. 153. p. 95–108. <https://doi.org/10.1016/j.actaastro.2018.09.031>
20. Koehl M., Delacourt T., Boutry C. Image capture with synchronized multiple-cameras for extraction of accurate geometries. Int. Arch. Photogramm. Remote Sens. Spatial Inf. Sci. 2016. Vol. XLI-B1. Pp. 653–660. [doi.org/10.5194/isprs-archives-XLI-B1-653-2016](https://doi.org/10.5194/isprs-archives-XLI-B1-653-2016)
21. Lee H., Rhee H. 3-D measurement of structural vibration using digital close-range photogrammetry. Sensors and Actuators A: Physical. 2013. No. 196. p. 63–69. <https://doi.org/10.1016/j.sna.2013.03.010>
22. Li Y., Zhang J., Han J., Cai Z., Wang Y., Li Y. Research on Flatness Rapid Measurement Technology of Large Deployable Antenna. IOP Conference Series: Materials Science and Engineering. 2020. No. 816. p. 1–6. <https://doi.org/10.1088/1757-899x/816/1/012022>
23. Lin G. C., Bai X. H., Tan H. F., Wan Z. M. Surface Accuracy Measurement of a Novel Inflatable Antenna by Photogrammetry. Advanced Materials Research. 2011. Vol. 301-303. p. 713–718. <https://doi.org/10.4028/www.scientific.net/AMR.301-303.713>
24. Liu T., Burner A. W., Jones T. W., Barrows D. A. Photogrammetric techniques for aerospace applications. Progress in Aerospace Sciences. 2012. No. 54. p. 1–58. <https://doi.org/10.1016/j.paerosci.2012.03.002>
25. Liu Y., Zhang D., Hu J., Chen W., Gao C., Qiu Z. Design and structural analysis of an inflatable coated fabric manipulation arm. Thin-Walled Structures. 2019. No. 139. p. 310–320. <https://doi.org/10.1016/j.tws.2019.03.020>
26. Luhmann T. Close range photogrammetry for industrial applications. ISPRS Journal of Photogrammetry and Remote Sensing. 2010. Vol. 65(6). p. 558–569. <https://doi.org/10.1016/j.isprsjprs.2010.06.003>
27. Lundstrom T., Baqersad J., Niezrecki C., Avitabile P. Using High-Speed Stereophotogrammetry Techniques to Extract Shape Information from Wind Turbine/Rotor Operating Data. Conference Proceedings of the Society for Experimental Mechanics Series. 2012. Vol. 6(26). Pp. 269–275. [https://doi.org/10.1007/978-1-4614-2419-2\\_26](https://doi.org/10.1007/978-1-4614-2419-2_26)
28. Ma X., Song Q., Jia Q., Fang H., Chen G. Design and experiment for a high precision reflector. IEEE International Conference on Cybernetics and Intelligent Systems (CIS) and IEEE Conference on Robotics, Automation and Mechatronics (RAM). 2017. p. 42–47. <https://doi.org/10.1109/ICCIS.2017.8274746>
29. Ou Y., Tatsis K. E., Dertimanis V. K., Spiridonakos M. D., Chatzi, E. N. Vibration-based monitoring of a small-scale wind turbine blade under varying climate conditions. Part I: An experimental benchmark. Struct. Control. Health Monit. 2021. Vol. 28(6). Pp. 1–18. <https://doi.org/10.1002/stc.2734>
30. Sabatini M., Monti R., Gasbarri P., Palmerini G. Deployable space manipulator commanded by means of visual-based guidance and navigation. Acta Astronautica. 2013. No. 83. Pp. 27–43. <https://doi.org/10.1016/j.actaastro.2012.10.015>
31. Shankar N. U., Duraichelvan R., Ateequilla C. M. and etc. Photogrammetric Measurements of a 12-meter Preloaded Parabolic Dish Antenna. National Workshop on the Design of Antenna & Radar Systems (DARS), (Bangalore, 13-14 February 2009). Bangalore, 2009. Pp. 1–7.
32. Shen J., Wheeler C., O'Shea J., Ilic D. Investigation of the dynamic deflection of conveyor belts via experimental and modelling methods. Measurement. 2018. No. 127. p. 210–220. <https://doi.org/10.1016/j.measurement.2018.05.091>
33. Sun Z., Zhang Y., Yang D. Structural design, analysis, and experimental verification of an H-style deployable mechanism for large space-borne mesh antennas. Acta Astronautica. 2021. No. 178. p. 481–498. <https://doi.org/10.1016/j.actaastro.2020.09.032>
34. Tian Q., Flores P., Lankarani H. M. A comprehensive survey of the analytical, numerical and experimental methodologies for dynamics of multibody mechanical systems with clearance or imperfect joints. Mechanism and Machine Theory. 2018. No. 122. Pp. 1–57. <https://doi.org/10.1016/j.mechmachtheory.2017.12.002>
35. Uheida K., Deng Y., Zhang H., Galuppi L., Gao J., Xie L., Mohamed A. Determining equivalent-sectional shear modulus in torsion tests for laminated glass beams using photogrammetry method. Composite Structures. 2021. No. 276. Pp. 1–14. <https://doi.org/10.1016/j.compstruct.2021.114572>
36. Winstroth J., Schoen L., Ernst B., Seume J. R. Wind turbine rotor blade monitoring using digital image correlation: a comparison to aeroelastic simulations of a multi-megawatt wind turbine. Journal of Physics: Conference Series. 2014. Ser. 524. <https://doi.org/10.1088/1742-6596/524/1/012064>

37. *Winstroth J., Seume J.R.* Wind turbine rotor blade monitoring using digital image correlation: 3d simulation of the experimental setup. *Journal of Physics: Conference Series*. 2014. Ser. 524. <https://doi.org/10.1088/1742-6596/524/1/012064>
38. *Wu T., Tang L., Du P., Liu N., Zhou Z., Qi X.* Non-contact measurement method of beam vibration with laser stripe tracking based on tilt photography. *Measurement*. 2022. No. 187. Pp. 1–12. <https://doi.org/10.1016/j.measurement.2021.110314>
39. *Xiao Z., Liang J., Yu D., Asundi A.* Large field-of-view deformation measurement for transmission tower based on close-range photogrammetry. *Measurement*. 2011. No. 44. p. 1705–1712. <https://doi.org/10.1016/j.measurement.2011.07.009>
40. *Xu Y., Guan F.* Structure design and mechanical measurement of inflatable antenna. *Acta Astronautica*. 2012. No. 76. p. 13–25. <https://doi.org/10.1016/j.actaastro.2012.02.005>
41. *Yang J., Peng H., Zhou W., Zhang J., Wu Z.* A modular approach for dynamic modeling of multisegment continuum robots. *Mechanism and Machine Theory*. 2021. No. 165. p. 1–22. <https://doi.org/10.1016/j.mechmachtheory.2021.104429>

18.06.2024,  
26.09.2024